# LED Spot Illumination Power Supply for LED Spot Illumination

SLSI SPS-SLSI







# **SLSI**

# LED lights for coaxial epi-illumination and spot illumination.



 Useful for coaxial epi-illumination for our zoom microscope, ultra long working distance zoom microscope, observation unit with coaxial illumination, and various telecentric lenses.


- Useful for spot illumination.
- Useful for ring or line illumination when connected to various light guides.


#### Guide

- Cable extension is available. (Optional)
- ▶ Various light guides and light guide adapters are available. (Optional)

### Attention

▶ Use with the dedicated power supply (SPS-SLSI).





# **SPS-SLSI**

Slim and palm-size, and can be mounted on a DIN rail by an adapter. Remote control also available.



| Specifications              |  |  |
|-----------------------------|--|--|
| Part Number                 | SPS-SLSI   |  |
| Controllable Number of LEDs | 1ch  |  |
| Power Voltage               | AC100 - 240V±10%   |  |
| Apparent Power              | 30VA   |  |
| Operating Temperature       | 5 – 40°C   |  |
| Storage Temperature         | -20 - 60°C   |  |
| Functions                   | Dimming by volume control, USB control, flash operation, external gate operation |  |
| External Output             | Output for LED   |  |
| Interface                   | USB (Mini-B type) USB1.1 compliant<br>Trigger (Gate) Input Connector             |  |

- Easy connection to the spot light and brightness control. Adapter available for connection to DIN rail.
- LED ON/OFF and brightness control are possible by PC with USB interface.
- Flash function is available with external trigger input.

## Guide

▶ Adapter for DIN rail needs to be installed by customers.

| Outline Drawin | g     | (Units: mm) |
|----------------|-------|-------------|
| o o            | © 001 |             |
| <u></u>        | 80    | 25          |

| Part Number | Products Name   |
|-------------|---|
| SPS-SLSI    | LEDPower Supply for LED Spot Illumination                         |
| SLSI-CA-2   | Extension Cable for LED Spot Illumination 2m                      |
| SLSI-CA-3   | Extension Cable for LED Spot Illumination 3m                      |
| SLSI-CA-5   | Extension Cable for LED Spot Illumination 5m                      |
| SLSI-EX-2   | External control cables for LED Spot Illumination Power Supply 2m |



Optics & Optical Coatings

Opto-Mechanics

Bases

Manual Stages

Actuators & Adjusters

Motoeized Stages

Light Sources & Laser Safety

Index

Guide

Lasers

Laser Safety Equipments

**Light Sources**